for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Receiver-Amplifier
NSN 5840-01-151-6136

- 1.0 <u>Scope</u>. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-59(V)3 Receiver-Amplifier, NSN 5840-01-151-6136, part number 77D609702G4, CAGE 03538, (hereafter referred to as "Receiver-Amplifier"). This document contains requirements to restore the Receiver-Amplifier to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 <u>Applicable Documents</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplements thereto which are in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

### 2.1 Military Standards

MIL-STD-2073-ID DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Engineering Drawing 77D609702, CAGE 03538

Receiver-Amplifier

Engineering Drawing 77D609702G4, CAGE 03538

Parts List, Receiver-Amplifier

Engineering Drawing 77A100076, CAGE 03538

Test Requirements, Receiver-Amplifier

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000

Quality Management Systems-Requirements

**Industry Standards (For Guidance)** 

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

### 3.0 Requirements

3.1 The Contractor shall repair the Receiver-Amplifier strictly in accordance with the requirements as specified in Engineering Drawing 77D609702 and Parts List 77D609702G4, CAGE 03538. Testing shall be conducted in accordance with Test Requirements 77A100076, CAGE 03538 and the test results shall be documented in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to IROAN the equipment in accordance with this SOW.

## 3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-

STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use will be identified in writing by the Logistics Management Specialist (LMS), Marine Corps Systems Command (MCSC), Battlespace Management and Air Defense Systems (BMADS), Albany, Georgia 31704-0343.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration baseline items. The Contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the baseline shall be by Engineering Change Proposal (ECP). If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 571-1) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The Contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to: Materiel Management Department, Management Control Activity (Code 571-1), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or by faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidance to contractors on the requisitioning process. The Contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.
- 3.6 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements.

Reports. The Contractor shall develop a Test Data Report (TDR), in Contractor format, based on test requirements developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the 28V Power Supply. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS), MCSC (BMADS). The electronic address is: <a href="mailto:SMBmatcombmads@matcom.usmc.mil">SMBmatcombmads@matcom.usmc.mil</a>. The mailing address is: <a href="mailto:Commander">Commander</a>, Marine Corps Systems Command, Attn: Logistics Management Specialist, (BMADS), 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. The LMS can be reached at commercial telephone number (229) 639-5036, or DSN 567-5036. Facsimiles may be sent to commercial telephone number (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, (BMADS).

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public caporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Discretate for Information Operations and Reports (0701-0188), 1215 Jefferson Devis Highway, Suits 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstending any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Pleass DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:						
D. SYSTEM/ITEM		<u> </u>	E. CONTRACT/PR		F. CONTRA					
AN/TPS-59(	(V)3 Receiver Am	plifier								
1, DATA ITEM NO.	2. TITLE OF DATA ITEM	***************************************			3. SUBTITLE					17. PRIC
4001	Engine	Change Proposel (ECD)				Configuration Man				
AOO1  4. AUTHORITY (Data Acquis		eering Change Proposal (ECP)				6. REQUIRING OFFICE				18. EST TOT
l	CMAN-80639C	SOW 3.3				MCLBA (583)				
7. DD 250 REQ S. DIST STATEMENT		10. FREQUENCY		12. DATE OF FIRST SUBMISSION		14. DISTRIBUTION				lil
LT REQUIRED		ASREQ		See Blk 16			b. COPIES			
B. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Oraft Final			
A A						NOT DA (502.1)		Reg	Repro	
18. REMARKS Blk 4 - Contra	ctor format submi	itted in .p	odf or .doc for	mat is authorized		MCLBA (583-1)	0	1	0	
							-			li
	- ECPs shall be suffect the baseline									1
ECPs will be a	reviewed and disp Government.	osition d	etermined with	nin 30 calendar d	iys upon					Į!
										H
Block 14: ECI	Ps shall be transm nfigmngmnt@mato	itted via	E-Mail to the	following address	:				<u> </u>	1
										Hi
Distribution St	tatement A: Appro	oved for	Public Release	e; Distribution is						li
							<del> </del>		├──	1
							<del>                                     </del>			
										]
										]
1										li i
İ							.	ļ	ļ	Į į
Ì							-		<del>                                     </del>	<b>!</b> !
									<del> </del>	1
							+			11
Ì							1		1	<b>1</b> ¦
										<b>1</b> i
										]
								L		1
								ļ	ļ	<b>.</b>
							<del>                                     </del>	<b> </b>	<del> </del>	<b>- </b>
								<del> </del>	<del> </del>	<b>1</b> ¦
							1	<del>                                     </del>	1	<b>1</b> i
1							1	<del>                                     </del>	<b>†</b>	1
										]!
										1
									1	<b>- </b>
							<del> </del>	-	—	<b>-l</b> i
1									<del> </del>	4
									+	<b>-</b>
						15 TOTAL		1	1	1!
C PREPARED BY		<del></del>	H DATE	1 APPROVE	BY /	1	J. DAT			1
James C Valo 8/2/02 Lout W. Jungle							19			
G. PREPARED BY	2 (J 3-1, AUG 96 (EG)	all	H. DATE 8/2/0	1. APPROVED PREVIOUS EDITION MAY	LEV ELL (	15. TOTAL  Jengle	/9 Page_	DEC		3

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.		B. EXHIBIT		C. CATEGORY:						
			E. CONTRACT/PR		F. CONTRA					
D. SYSTEMITEM AN/TPS-59(V	/)3 Receiver Am	plifier	L. CURTINACI/FR	itv.						  -
	2. TITLE OF DATA ITEM		1		3. SUBTITLE					17. PRICE
A002		Request	For Deviation	ı	Configuration Mar					
4. AUTHORITY (Data Acquisition	ion Document No.)	5. CONTRACT REFERENCE			1	6. REQUIRING OFFICE				18. ESTIN
	MAN-80640C			SOW 3.3		MCLBA	A (583)			
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN		12. DATE OF FIRST SUBMISS		14. DISTRIBUTION				
LT	REQUIRED		ASREQ	See Blk	6	_	b. COPIES			. ! <b>L</b>
B. APP CODE	1	11. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	Draft	Final		1
<u> </u>	A	<u> </u>		<u> </u>		NGV DA (502.1)	0	Reg 1	Repro	;
18. REMARKS Blk 4 - Contract	tor format submi	tted in .p	odf or .doc for	mat is authorized		MCLBA (583-1)	0			l i
Dileo 10 % 12	DEDs shall be su	hmitted	to obtain autho	orization to delive	r		<del> </del>			li
nonconforming documentation.	material which d	loes not i	meet prescribe	orization to delive d configuration	-					Į į
DEDe will be re	eviewed and disn	osition d	etermined with	nin 30 calendar da	vs upon		<del> </del>	ļ		H
receipt by the C	Government.	osmon u	COMMISSION WIN	nin 30 calendar da	/ F		<del>↓</del> —			
							<del> </del>			li
mbmatcomconf	igmngmnt@matc	om.usmo	c.mil	following address				<del> </del> -		li
Distribution Sta	atement A: Appro						<del>                                     </del>			1
Unlimited.	LF						+-	ļ		
							1			1!
							1	1		[ ]
							$T^{-}$			1
										1
										l
										1
										<b>l</b> i
								ļ	ļ	
							<b>_</b>	<b> </b>	ļ	1
							<u> </u>	ļ	<u> </u>	<b> </b>
								<del> </del>	<del> </del>	11
							-	<del> </del>	<del> </del>	1 ;
							<del> </del>	<del>                                     </del>		1 ;
						<u> </u>	+-	$\vdash$	<del> </del>	11
							<del>                                     </del>	t	T	1i
							1	1	1	1
								1		]
								L .		
										]
									<u> </u>	1
								<u> </u>	<del> </del>	-[-
							<b>_</b>		<u> </u>	<b>-</b>
								1	<del> </del>	41
							<b>_</b>			4
									ļ	<b>-1</b> i
								<del>  -</del>	+	4
1					nu.	15. TOTAL	J. DA	) 1	1 0	41
G. PREPARED BY	1 N/1	b	H. DATE	I. APPROVED	lent &	Jenf:		DEC	02	
DUNK	1, AUG 96 (EG)	<u> </u>	1970	PREVIOUS EDITION MAY	DE HISED		Page	of	Page	25

Designed using Perform Pro, WHS/DIOR, Aug 98